

Amphenol's Z05 and Z06 series vented vertical pedestals provide ease of installation and maintenance and robust protection for active and passive devices, including fiber components in below-grade outside plant cable environments. The pedestals are built with UV-stabilized high-impact resistance HDPE and have a thermally optimized integrated insect-resistant vented design. This innovative design provides a robust pedestal housing that protects to house active and passive components in RF and Fiber network deployments. In addition, several different bracket configurations are available to mount various hardware.



Installation:

The pedestal has been designed for stability and mitigates pull-over. During installation, bury the pedestal base to the desired depth in the ground and backfill. Additionally, the pedestals come with various self-locking dome options to address specific security requirements.

Features:


- Secure and robust for all weather conditions with high-impact resistant UV stabilized material.
- Thermally optimized integrated vent design for reliable operation in all environments.
- Craft-friendly one-piece dome comes with a self-latching lock that slides easily into secure locking position. Temporary drop access.
- All hardware and bracket options are constructed of aluminum and stainless steel for sturdiness.
- 360° access and rectangular shape provides increased workable area.




Internal bracket configurations

- Telecom / FTTX
- Utility
- Wireless
- Broadband Cable


Z05 Outline Dimensions



Z06 Outline Dimensions



Z05/Z06 Bracket Options



Lock Options



Note: All dimensions are in inches

Ordering Information

| ABS Part No. | Description |
|-----------------|--|
| Z05SS07-20000BK | Z05 12"x12" Vented Pedestal, 25" self locking dome with 7/16" hex lock, light green, mounting stake |
| Z05SS07-20017BK | Z05 12"x12" Vented Pedestal, 25" self locking dome with 7/16" hex lock, light green, upright with dual offset fiber wrap brackets and strand C-bracket |
| Z05SS07-20024BK | Z05 12"x12" Vented Pedestal, 25" self locking dome with 7/16" hex lock, light green, mounting stake with strand C-Bracket |
| Z06SS07-20000BK | Z06 12"x12" Vented Pedestal, 30" self locking dome with 7/16" hex lock, light green, mounting stake |
| Z06SS07-20017BK | Z06 12"x12" Vented Pedestal, 30" self locking dome with 7/16" hex lock, light green, upright with dual offset fiber wrap brackets and strand C-bracket |
| Z06SS07-20024BK | Z06 12"x12" Vented Pedestal, 25" self locking dome with 7/16" hex lock, light green, mounting stake with strand C-bracket |

Contact your ABS sales representative for availability of different lock type (P-key) or colors (Dark Green).

